

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	202	717/106	USPAT	OR	OFF	2005/05/24 09:10
L4	91	717/110	USPAT	OR	OFF	2005/05/24 09:33
L5	7	717/110 and wizard	USPAT	OR	OFF	2005/05/24 09:14
L6	3	wizard near4 (form\$3 or (business adj rule) or report\$3 or search\$3 or calendar\$3 or email\$3) same browser\$3 same display\$3 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/24 09:36
L7	16	wizard near4 (form\$3 or (business adj rule) or report\$3 or search\$3 or calendar\$3 or email\$3) same browser\$3	USPAT	OR	OFF	2005/05/24 09:37


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

wizard form business rule report calendar email browser

SEARCH

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

wizard form business rule report calendar email browser

Found 45,293 of 154,226

Sort results by

relevance



Save results to a Binder

Try an Advanced Search

 Try this search in [The ACM Guide](#)

Display results

expanded form



Search Tips

☐ Open results in a new window

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐

### 1 [Fast detection of communication patterns in distributed executions](#)

Thomas Kunz, Michiel F. H. Seuren

 November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**

Full text available: pdf(4.21 MB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...



### 2 [An annotated bibliography of computer supported cooperative work](#)

Saul Greenberg

 July 1991 **ACM SIGCHI Bulletin**, Volume 23 Issue 3

Full text available: pdf(4.27 MB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Computer-supported cooperative work (CSCW) is a new multi-disciplinary field with roots in many disciplines. Due to the area's youth and diversity, few specialized books or journals are available, and articles are scattered amongst diverse journals, proceedings and technical reports. Building a CSCW reference library is particularly demanding, for it is difficult for the new researcher to discover relevant documents. To aid this task, this article compiles, lists and annotates some of the current ...



### 3 [Web and e-business application: A framework for automatic generation of web-based data entry applications based on XML](#)

Volker Turau

 March 2002 **Proceedings of the 2002 ACM symposium on Applied computing**

Full text available: pdf(635.47 KB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper presents a framework for web-based data entry applications. It introduces a method for the conceptual and the navigational design based on a textual specification in the form of an XML-application. This forms the input to a code generation environment allowing for real automated prototyping. The environment produces fully functional



skeletons for the web pages. Together with the framework classes they can be utilized for testing and for requirements review. They also form the starti ...

**Keywords:** automated prototyping, frameworks, web-based data entry

4 Harnessing technology for effective inter- and intra-institutional collaboration (report of the ITiCSE '97 working group on supporting inter- and intra institutional collaboration)

Douglas Siviter, Marian Petre, Bruce Klein

June 1997 **The supplemental proceedings of the conference on Integrating technology into computer science education: working group reports and supplemental proceedings**

Full text available:  pdf(145.01 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

5 Harnessing technology for effective inter- and intra-institutional collaboration: report of the ITiCSE '97 working group on supporting inter- and intra-institutional collaboration

Douglas Siviter, Marian Petre, Bruce Klein

October 1997 **ACM SIGCUE Outlook**, Volume 25 Issue 4

Full text available:  pdf(2.66 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The computer science discipline is well poised to provide leading examples of harnessing communications and computer technologies in order to encourage collaborative practices both within and between institutions. Students, academics, and institutions all potentially have access to their counterparts world-wide. This provides endless opportunities for sharing knowledge, accessing scarce expertise, making effective re-use of limited resources, collaborating to attract funding and influence polici ...

6 Tools and approaches for developing data-intensive Web applications: a survey

Piero Fraternali

September 1999 **ACM Computing Surveys (CSUR)**, Volume 31 Issue 3

Full text available:  pdf(524.80 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The exponential growth and capillar diffusion of the Web are nurturing a novel generation of applications, characterized by a direct business-to-customer relationship. The development of such applications is a hybrid between traditional IS development and Hypermedia authoring, and challenges the existing tools and approaches for software production. This paper investigates the current situation of Web development tools, both in the commercial and research fields, by identifying and characte ...

**Keywords:** HTML, Intranet, WWW, application, development

7 The information age and the printing press: looking backward to see ahead

James A. Dewar

August 2000 **Ubiquity**, Volume 1 Issue 25

Full text available:  html(112.11 KB) Additional Information: [full citation](#), [index terms](#)

8 Systems: Lessons from the reMail prototypes

Daniel Gruen, Steven L. Rohall, Suzanne Minassian, Bernard Kerr, Paul Moody, Bob Stachel, Martin Wattenberg, Eric Wilcox

November 2004 **Proceedings of the 2004 ACM conference on Computer supported**

**cooperative work**

Full text available:  [pdf\(545.81 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Electronic mail has become the most widely-used application for business productivity and communication, yet many people are frustrated with their email. Though email usage has changed, our email clients largely have not. In this paper, we describe a prototype email client developed out of a multi-year iterative design process aimed at providing those who "live in their email" with an improved, integrated email experience. We highlight innovative features and describe the user trials for each ...

**Keywords:** attention management, electronic mail, information visualization, instant messaging, summarization, text analysis, threads

**9 Level II technical support in a distributed computing environment**

Tim Leehane


September 1996 **Proceedings of the 24th annual ACM SIGUCCS conference on User services**

Full text available:  [pdf\(5.73 MB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#)

**10 Frontmatter (TOC, Letters, Open Source Software (OSS) Patent Search Engine, Calendar of Events, Workshop and Conference Information)**

ACM SIGSOFT Software Engineering Notes staff

March 2005 **ACM SIGSOFT Software Engineering Notes**, Volume 30 Issue 2

Full text available:  [pdf\(564.92 KB\)](#) Additional Information: [full citation](#)

**11 Reusable software components**

Trudy Levine


July 1996 **ACM SIGAda Ada Letters**, Volume XVI Issue 4

Full text available:  [pdf\(2.45 MB\)](#) Additional Information: [full citation](#), [index terms](#)

**12 Shall we mix synthetic speech and human speech?: impact on users' performance, perception, and attitude**

Li Gong, Jennifer Lai

March 2001 **Proceedings of the SIGCHI conference on Human factors in computing systems**

Full text available:  [pdf\(241.48 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

**Keywords:** consistency, email and calendar, speech applications, telephone-based solution, virtual assistant

**13 Semantic interfaces and OWL tools: How to make a semantic web browser**

D. A. Quan, R. Karger

May 2004 **Proceedings of the 13th international conference on World Wide Web**

Full text available:  [pdf\(484.00 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Two important architectural choices underlie the success of the Web: numerous, independently operated servers speak a common protocol, and a single type of client the Web browser provides point-and-click access to the content and services on these decentralized servers. However, because HTML marries content and presentation into a single representation, end users are often stuck with inappropriate choices made by the Web site designer of how to work with and view the content. RDF metadata on the ...

**Keywords:** bioinformatics, rdf, semantic web, user interface, web services

#### 14 Supporting the writing of reports in a hierarchical organization

Andreas Girgensohn

March 1999 **ACM SIGSOFT Software Engineering Notes , Proceedings of the international joint conference on Work activities coordination and collaboration**, Volume 24 Issue 2

Full text available:  pdf(1.31 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In many hierarchical companies, reports from several independent groups must be merged to form a single, company-wide report. This paper describes a process and system for creating and structuring such reports and for propagating contributions up the organization. The system has been in regular use, in-house, by about 30 users for over a year to create monthly status reports. Our experiences indicate that it is possible to change a monthly reporting practice so that the system is easy to use, im ...

**Keywords:** World Wide Web, collaborative writing, corporate memory, hierarchical organizations, report generation, user feedback

#### 15 Model-driven development of Web applications: the AutoWeb system

Piero Fraternali, Paolo Paolini

October 2000 **ACM Transactions on Information Systems (TOIS)**, Volume 18 Issue 4

Full text available:  pdf(6.94 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


This paper describes a methodology for the development of WWW applications and a tool environment specifically tailored for the methodology. The methodology and the development environment are based upon models and techniques already used in the hypermedia, information systems, and software engineering fields, adapted and blended in an original mix. The foundation of the proposal is the conceptual design of WWW applications, using HDM-lite, a notation for the specification of structure, nav ...

**Keywords:** HTML, WWW, application, development, intranet, modeling

#### 16 Backmatter (Report abstracts, Paper abstracts, Book Reviews, Calendar of Future Events)

ACM SIGSOFT Software Engineering Notes staff

January 2005 **ACM SIGSOFT Software Engineering Notes**, Volume 30 Issue 1

Full text available:  pdf(211.38 KB) Additional Information: [full citation](#)

#### 17 Industrial/government track: Empirical Bayesian data mining for discovering patterns in post-marketing drug safety

David M. Fram, June S. Almenoff, William DuMouchel

August 2003 **Proceedings of the ninth ACM SIGKDD international conference on**

**Knowledge discovery and data mining**

Full text available:  pdf(461.25 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Because of practical limits in characterizing the safety profiles of therapeutic products prior to marketing, manufacturers and regulatory agencies perform post-marketing surveillance based on the collection of adverse reaction reports ("pharmacovigilance"). The resulting databases, while rich in real-world information, are notoriously difficult to analyze using traditional techniques. Each report may involve multiple medicines, symptoms, and demographic factors, and there is no easily linked inf ...

**Keywords:** association rules, data mining, empirical Bayes methods, pharmacovigilance, post-marketing surveillance

**18 [Interactive Editing Systems: Part II](#)**

Norman Meyrowitz, Andries van Dam


September 1982 **ACM Computing Surveys (CSUR)**, Volume 14 Issue 3

Full text available:  pdf(9.17 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**19 [Risks to the public: Risks to the public in computers and related systems](#)**

Peter G. Neumann

May 2002 **ACM SIGSOFT Software Engineering Notes**, Volume 27 Issue 3

Full text available:  pdf(1.92 MB) Additional Information: [full citation](#)

**20 [Privacy 1: Who gets to know what when: configuring privacy permissions in an awareness application](#)**

Sameer Patil, Jennifer Lai

April 2005 **Proceeding of the SIGCHI conference on Human factors in computing systems**

Full text available:  pdf(715.75 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We report on a study (N=36) of user preferences for balancing awareness with privacy. Participants defined permissions for sharing of location, availability, calendar information and instant messaging (IM) activity within an application called mySpace. MySpace is an interactive visualization of the physical workplace that provides dynamic information about people, places and equipment. We found a significant preference for defining privacy permissions at the group level. While "family" received ...

**Keywords:** awareness, context-aware computing, contextual communication, information disclosure, permission structures, privacy



Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)